

MEISTER

Wood flooring Natureflex

**REALLY BRILLIANT
NATUREFLEX
WOOD FLOORING**

Wood flooring *Natureflex*

A REAL...

Sustainable, energy-efficient and straightforward – introducing our wood flooring Natureflex HD 100. The flexible product structure only 8 mm thick makes it the perfect flooring for all renovations, as well as an extremely resource-efficient alternative to conventional multilayered parquet flooring. We use approx. 85% less wood to produce its surfaces, without compromising on look, feel or product features. On the contrary: We combine the beauty and natural quality of wood with improved properties that make our real wood flooring even more sturdy, easy to maintain and practical. From installation to upkeep – simply straightforward, ecological all-round flooring.



**REALLY BRILLIANT
WOOD FLOORING
NATUREFLEX**



<https://qrc.de/bf8CHE>

Ultra-matt lacquered surface (Duratec Nature)

7 layer seal with formaldehyde-free, viscoplastic, UV-hardened acrylic lacquer. An innovative production process is used to achieve an ultra-matt surface finish with an extraordinary sense of depth. The high-quality, durable surface finish is ecologically non-harmful, and its special composition makes it extremely durable and easy to maintain.

Real wood covering layer (approx. 0.6 mm)

AquaStop edge impregnation

HDF middle layer

Real wood backing

Wood flooring Natureflex HD 100

- 1-strip (plank)
- Ultra-matt lacquered surface
- All-round micro-bevel
- Suitable for humid rooms / water-resistant for 4 hours
- Click system: Multiclic
- MEISTER warranty*
 - 15 years in living areas,
 - 3 years in commercial areas
- Thickness: 8 mm
- Effective measurement: 2200 x 210 mm

*Warranty according to the MEISTERWERKE warranty conditions at www.meister.com



www.blauer-engel.de/uz176



** Can be laid in humid rooms such as bathrooms. This does not include outdoor areas or wet rooms, such as saunas, shower cubicles, steam rooms or rooms with a floor drain.

*** Tested bacteria: Staphylococcus aureus, Escherichia coli

renovation buddy



'This flooring is almost self-laying.'

The low installation height of Natureflex wood flooring makes it highly versatile; it's the perfect choice for renovation projects. It's easy to lay and is suitable for full-surface bonding.

playmate



'The floor can really withstand a lot!'

Had the odd spill or accident? Not a problem! Natureflex HD 100 is considerably sturdier than standard parquet flooring, and it's indent- and stain-resistant.



Standard parquet flooring



Wood flooring Natureflex

fair player



'A real wood flooring at a fair price.'

Natureflex radiates natural warmth and exudes that typical cosy wood-floor feeling. Natural flooring at a good price, Made in Germany.

climate hero



'It saves trees and ensures good living quality!'

The production of Natureflex HD 100 requires 85% less wood than standard parquet flooring. It also naturally traps CO₂ and creates a more comfortable indoor climate.

Mr. Clean



'The floor cleans almost by itself.'


The ultra-matt Duratec Nature surface is ecologically non-harmful, and its special composition makes it extremely durable, stain-resistant and easy to maintain.



Limed light white oak lively 20016



Off-white oak lively 20014



Cream oak lively 20015



Oak lively 20013



Authentic oak 20017



Authentic pure greige oak 20018



Natural pure oak 20078



Natural light oak 20079



Matching skirting board 15 F MK profile



© 2024 by MeisterWerke Schulte GmbH

For reasons of printing technology, colours and structures may vary from the reproductions shown here. We reserve the right to make changes. No responsibility is assumed for errors.

MEISTER – a trademark of MeisterWerke Schulte GmbH

Johannes-Schulte-Allee 5 / 59602 Rütten-Meiste

Tel. + 49 2952 816-0 / Fax + 49 2952 816-66 / www.meister.com